



WATER POLO



OTTER scoreboards are an ideal solution for tight spaces or use as an auxiliary scoreboard.

Key Features:

Compact

Half the width of standard LED-R scoreboards.

Bright LED digits


Displays GAME TIME, HOME, GUEST, PERIOD, TIME OUTS LEFT, SHOT TIME, and EXCLUSION. Digit brightness automatically adjust to ambient light.

2.4GHz integrated wireless

Operating distance up to 1,000 feet, with 12 independent channels and 16 independent networks per channel that provide reliable communication for up to 192 separate matches at a facility.

Indoor or outdoor use

Weather-proof digits and electronics are housed in a powder-coated aluminum chassis for excellent corrosion resistance.



www.coloradotime.com | info@coloradotime.com

(800) 279-0111 | +1(970) 667-1000

1551 E 11th St. | Loveland, CO 80537 | USA

REV: 07/23



Our products are proudly manufactured in Loveland, CO



Colorado TIME SYSTEMS
A PLAYCORE Company



WATER POLO

Specification:

Part number:

MS-0142

Overall dimensions (W x H x D):

4.0' x 5' 10" x 4.25" (1.2m x 1.8m x 10.8cm)

Weight:

70 lbs (31.8kg)

Digit size:

5" (12.7cm)

Power:

115VAC~230VAC, 50/60Hz, 100W, 14' power cord with NEMA 5-15R plug; available with international plug (type F, G, or I) upon request

Construction & mounting:

- Scoreboard assembly consists of a single 5052-alloy aluminum display chassis with internal digit brackets.
- High-strength polycarbonate digit covers protect digits and antenna from weather and impact.
- Scoreboard is shipped as one piece for ease of handling and installation.
- Various mounting options allow for the scoreboard to be mounted directly to a flat wall, corner wall, vertical beam, or portable caddy. Mounting tabs are attached to the board in one of three locations. Simply lift the scoreboard into place, where it is then easily bolted to the wall or support structure.

Service access:

- All digits and electronic components are accessed through the front-face of the scoreboard.
- Digit covers are secured by two removable end caps.

Operating temperatures & product safety approval

- -41 - 131° Fahrenheit (-5 - 55° Celsius)
- CETLus, FCC, and RoHS compliant

www.coloradotime.com | info@coloradotime.com

(800) 279-0111 | +1(970) 667-1000

1551 E 11th St. | Loveland, CO 80537 | USA

REV: 07/23



*Our products are
proudly manufactured
in Loveland, CO*



**Colorado
TIME SYSTEMS**
A PLAYCORE Company



WATER POLO

Customization options and accessories:

- Various sign panel options are available - contact your sales representative for more information regarding advertising and identification sign panels
- Vinyl artwork captions (3") are applied directly to the polycarbonate digit covers
- Decorative accents
- Add-on video display panels of various sizes
- Choose from the following powder-coat colors at no additional cost



black



bright red



cardinal
red



maroon



navy blue




royal blue



purple



forest
green



white

Accessories:

DC-1500: Game/Shot clocks

WTTC: Wireless tabletop controller

WHC: Wireless handheld controller

SYS6: System 6 timing console with water polo software

WA-2: Wireless adapter for use with the System 6

www.coloradotime.com | info@coloradotime.com

(800) 279-0111 | +1(970) 667-1000

1551 E 11th St. | Loveland, CO 80537 | USA

REV: 07/23



*Our products are
proudly manufactured
in Loveland, CO*



**Colorado
TIME SYSTEMS**
A PLAYCORE Company