

2

1

CTS ASSUMES NO RESPONSIBILITY FOR INSTALLATIONS PERFORMED BY OTHERS 6.

4

В

NOTES:

2. 3.


4.

5.

A

A REV	INITIAL RELEASE DESCRIPTION		2/11/15 DATE	PJS APP	THE INFORMATION ON THIS DRAW	NG IS SUBJECT TO CHANGE WITH	OUT NOTICE		
			DIMENSIONS ARE REPRESENTED AS FOLLOWS: INCH [MM]	DRAWN BY P.SCHIEL	DATE 2/11/15	MS-0155			
(		The information and data contained herein is a used, or duplicated for any purpose whatsoev llc., 1551 E. 11th Street, Loveland Colorado, 8	Secret and is submitted in confidence, and shall re er without the prior written permission of Colorad 0037. This legend shall be marked on any repro- all be deemed to be an acceptance of the condition	o Time Systems, oduction hereof in	TOLERANCES EXCEPT AS NOTED INCHES MM X ± 0.02 X± ANGLES± 1 DO NOT SCALE THIS DRAWING SCALE NTS SHEET 1 OF 3	ENG. APPROVAL PROJECT ENG.	DATE DATE	WALL MOUNT GENERAL LAYOUT	
<b></b>	+	4			3			2	

3



A 1. POWER AND DATA CABLES MUST BE ROUTED IN SEPARATE CONDUIT 2. CTS SUGGESTS <sup>3</sup> / <sub>2</sub> CONDUIT FOR ALL BURIED CABLE 3. EACH DISPLAY IS EQUIPPED WITH A 14' POWER CABLE WITH A NEMA 5-15R PLUG. NOTE THE EXIT LOCATION IS ON THE BOTTOM OF THE DISPLAY. THIS CABLE IS ONLY TO BE USED IN CONJUNCTION WITH AN OUTDOOR RATED RECEPTACLE 4. IF USING WIRED DATA, TERMINATE DATA CONDUIT TO JUNCTION BOX NEAR DATA JACK LOCATION 5. SCOREBOARD DOES NOT INCLUDE ON/OFF POWER SWITCH. INSTALL OPTIONAL SWITCH/DISCONNECT FOR ABILITY TO TURN SCOREBOARD ON/OFF IF NEEDED OR DESIRED 6. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRIC CODE AND/OR OTHER APPLICABLE CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SCOREBOARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THIRD ANGLE PROJECTION TRADE SECRET TOLERANCES EXCEPT AS NOTED THE ON TRADE SECRET TOLERANCES EXCEPT AS NOTED TOLERANCES EXCEPT					
NOTES: 1. POWER AND DATA CABLES MUST BE ROUTED IN SEPARATE CONDUIT 2. SUGGESTS? CONDUIT FOR ALL BURIED CABLE 3. EACH DERVAY SECURPED WITH A 14* POWER CABLE WITH AN RUM 65* 16R PLUG. NOTE THE EXIT LOCATION IS ON THE BOTTOM OF THE DREAM THIS CABLES IS OUNCET ON THAN A NEW 65* 16R PLUG. NOTE THE EXIT LOCATION IS ON THE BOTTOM OF THE DREAM THIS CABLE IS ONLY TO BE USED INCOMMENT AND AS FOR PLUG. NOTE THE EXIT LOCATION IS ON THE BOTTOM OF THE DREAM THIS CABLE IS ONLY TO BE USED INCOMMENT AND ASTED RECEPTACLE 4. IF USING WIRED DATA, TERMINATE DATA CONDUCT TO MITH THE REQUIREMENTS OF ARTICLE RECORDEDARD 5. SCOREBOARD DORS FOT INCLUED ONNEE WITH THE REQUIREMENTS OF ARTICLE RECORDEDARD 6. THIS SIGN IS NITENCED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE RECORDEDARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH THE REQUIREMENTS OF ARTICLE RECORDEDARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH THE REQUIREMENTS OF ARTICLE RECORDEDARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH THE REQUIREMENTS OF ARTICLE RECORDEDARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH THE REQUIREMENTS OF ARTICLE RECORDEDARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH THE REQUIREMENTS OF ARTICLE RECORDEDARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH THE REQUIREMENTS OF ARTICLE RECORDEDARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH THE REQUIREMENTS OF ARTICLE TO CHANGE WITH THE RECORDEDARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTION THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH THE RECORDEDARD THE INFORMATION THIS DRAWING TO CHANGE WITHOUT NOTION THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTION THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTION THE INFORMATION THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTION			OTTER 6-LAN	NE SWIM	
A 1. POWER AND DATA CABLES MUST BE ROUTED IN SEPARATE CONDUIT 2. CTS SUGGESTS <sup>3</sup> / <sub>2</sub> CONDUIT FOR ALL BURIED CABLE 3. EACH DISPLAY. 1S EQUIPPED WITH A 14' POWER CABLE WITH A NEMA 5-15R PLUG. NOTE THE EXIT LOCATION IS ON THE BOTTOM OF THE DISPLAY. THIS CABLE IS ONLY TO BE USED IN CONJUNCTION WITH AN OUTDOOR RATED RECEPTACLE 4. IF USING WIRED DATA, TERMINATE DATA CONDUIT TO JUNCTION BOX NEAR DATA JACK LOCATION 5. SCOREBOARD DOLS NOT INCLUDE ON/OFF POWER SWITCH. INSTALL OPTIONAL SWITCH/DISCONNECT FOR ABILITY TO TURN SCOREBOARD DON/OFF IF NEEDED OR DESIRED 6. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRIC CODE AND/OR OTHER APPLICABLE CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SCOREBOARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THIRD ANGLE PROJECTION TRADE SECRET UNDERSONABLE PROJECTION TRADE SECRET TOLERANCES EXCEPT AS NOTED UNDERSONABLE CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SCOREBOARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THIRD ANGLE PROJECTION TRADE SECRET UNDERSONABLE CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SCOREBOARD TOLERANCES EXCEPT AS NOTED UNDERSONABLE CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SCOREBOARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THIRD ANGLE PROJECTION TRADE SECRET UNDERSONABLE CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SCOREBOARD TOLERANCES EXCEPT AS NOTED UNDERSONABLE CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SCOREBOARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THIRD ANGLE PROJECTION TRADE SECRET UNDERSONABLE AND			50/60 H MAX POV CONSUMPTIC	Hz VER DN: 200 W	
A 1. POWER AND DATA CABLES MUST BE ROUTED IN SEPARATE CONDUIT 2. CTS SUGGESTS <sup>3</sup> / <sub>4</sub> " CONDUIT FOR ALL BURIED CABLE 3. EACH DISPLAY IS EQUIPPED WITH A 14' POWER CABLE WITH A NEMA 5-15R PLUG. NOTE THE EXIT LOCATION IS ON THE BOTTOM OF THE DISPLAY. THIS CABLE IS ONLY TO BE USED IN CONJUNCTION WITH AN OUTDOOR RATED RECEPTACLE 4. IF USING WIRED DATA, TERMINATE DATA CONDUIT TO JUNCTION BOX NEAR DATA JACK LOCATION 5. SCOREBOARD DOES NOT INCLUDE ON/OFF POWER SWITCH. INSTALL OPTIONAL SWITCH/DISCONNECT FOR ABILITY TO TURN SCOREBOARD DOVOFF IF NEEDED OR DESIRED 6. THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRIC CODE AND/OR OTHER APPLICABLE CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SCOREBOARD THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THIRD ANGLE PROJECTION TRADE SECRET TULERANCES EXCEPT AS NOTED THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THIRD ANGLE PROJECTION TRADE SECRET TO LERANCES EXCEPT AS NOTED THE INFORMATION ON THIS DRAWING IS SUBJECT TO CHANGE WITH OUT RECORD AND MADE REPRESENTED AS FOLLOWS: INCH MMI RAWN BY P.SCHIEL 2/11/15 MS-0155 WALL MOUNT LICENTICAL DETAILS					14' POWER CORD
THIRD ANGLE PROJECTION     TRADE SECRET     Description       Third or dupleted for any purpose whistower and is submitted in confidence, and shall not be decoded, to dupleted for any purpose whistower and is submitted in confidence, and shall not be decoded, the, 1551 E 111s Stret, Liveland Colorado, 60537. This legand shall be mented on any reproduction here of the whist or in part. Receipt of this document shall be deemed to be an acceptance of the conditions specified the configure shall be deemed to be an acceptance of the conditions specified the configure shall be deemed to be an acceptance of the conditions specified the configure shall be deemed to be an acceptance of the conditions specified the configure shall be deemed to be an acceptance of the conditions specified the configure shall be deemed to be an acceptance of the conditions specified the configure shall be deemed to be an acceptance of the conditions specified the configure shall be deemed to be an acceptance of the conditions specified to NOT SCALE THIS DRAWING     PROJECT ENG.     DATE     ELECTRICAL DETAILS	<ol> <li>POWER AND DATA CABLES MUST BE ROUTED IN SEPARATE CC</li> <li>CTS SUGGESTS <sup>3</sup>/<sub>4</sub>" CONDUIT FOR ALL BURIED CABLE</li> <li>EACH DISPLAY IS EQUIPPED WITH A 14' POWER CABLE WITH A THE DISPLAY. THIS CABLE IS ONLY TO BE USED IN CONJUNCTION</li> <li>IF USING WIRED DATA, TERMINATE DATA CONDUIT TO JUNCTIONS SCOREBOARD DOES NOT INCLUDE ON/OFF POWER SWITCH. IN SCOREBOARD ON/OFF IF NEEDED OR DESIRED</li> <li>THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITCH</li> </ol>	NEMA 5-15R PLUG. NOTE THE EXIT LOC ON WITH AN OUTDOOR RATED RECEPT ON BOX NEAR DATA JACK LOCATION NSTALL OPTIONAL SWITCH/DISCONNEC TH THE REQUIREMENTS OF ARTICLE 60	TACLE CT FOR ABILITY TO TURN 00 OF THE NATIONAL ELECTRIC		OPTIONAL WIRED
	THIRD ANGLE PROJECTION         TRADE SECRET           The information and data contained herein is secret and is submitted in confidence, and shall not be dis used, or duplicated for any purpose whatsever without the prof workshow of any propose whatsever without the prof workshow of any proposed shall be write permission of Colorado Times Secret and is submitted in any proposed shall be write and shall be distributed in any proposed shall be write write permission of Colorado Times Secret and is submitted in any proposed shall be write and shall be distributed in any proposed shall be writed in any proposed shall be writed in any perposed on the secret and is submitted in any perposed on the secret and shall be distributed in any perposed on the secret and	TOLERANCES EXCEPT AS NOTED           INCHES         MM           verger in         0.02         .X ±           ANGLES ±         1           Do NOT SCALE THIS DRAWING	P.SCHIEL ENG. APPROVAL PROJECT ENG.	2/11/15 DATE	MS-0155

3

4



D WITH 5-15R PLUG = ED DATA JACK В

2